




PU-PH




PU-PO



PU-TO



PU-CU



PU-OX



BOCA



ABE-BO



DO-MT



PU-PM



PU-PMI



CHARACTERISTICS

- Bits for all kind of recess.
- Different length options.
- Magnetic hexagonal nut setter for a better fixation.
- Uses: Hexagonal head screws, Hexalobular Tx, Pz, Ph and square recess.





BASE MATERIAL



APPLICATION EXAMPLES




1. RANGE

ITEM	CODE	VALID FOR	PHOTO	MATERIAL
1	PUPHC00 PUPHL00	Ph Recess		 Steel
2	PUPOC00 PUPOL00	Pz Recess		
3	PUTO000	Hexalobular Tx Recess		
4	PUCUC00 PUCUL00	Square Recess		
5	PUOXBTC PUOXBTL	Hexalobular TX socket recess for self-drilling screw		
6	BOCA000	Hexagonal head		
7	ABEB000	Hexagonal head for ABE-RM self-drilling screw		
8	DO-MT	Setting tool for MT anchors		
9	PUPM014	Hexagonal head		
10	PUPMI014	Hexagonal head		 Stainless steel

2. INSTALLATION DATA

2.1 PU-PH

Ph socket recess




Technical data

CODE	Recess Size	Length [mm]
PUPHC01	PH1	25
PUPHC02	PH2	
PUPHC03	PH3	
PUPHL01	PH1	50
PUPHL02	PH2	
PUPHL03	PH3	

2.2 PU-PO

Pz socket recess



Technical data

CODE	Recess Size	Length [mm]
PUPOC01	PZ1	25
PUPOC02	PZ2	
PUPOC03	PZ3	
PUPOL01	PZ1	50
PUPOL02	PZ2	
PUPOL03	PZ3	

2.3 PU-TO

Hexalobular Tx socket recess




Technical data

CODE	Recess Size	Length [mm]
PUTO010	T10	25
PUTO015	T15	
PUTO020	T20	
PUTO025	T25	
PUTO030	T30	
PUTO040	T40	

2.4 PU-CU

Square socket recess



Technical data

CODE	Recess Size	Length [mm]
PUCUC01	PC1	25
PUCUC02	PC2	
PUCUC03	PC3	
PUCUL01	PC1	50
PUCUL02	PC2	
PUCUL03	PC3	

2.5 PU-OX

Hexalobular TX socket recess for self-drilling screw



Technical data

CODE	Recess Size	Length [mm]
PUOXBITS10	Tx10	25
PUOXBITS15	Tx15	
PUOXBITS20	Tx20	
PUOXBITS25	Tx25	
PUOXBITS30	Tx30	
PUOXBITS40	Tx40	
PUOXBITL10	Tx10	50
PUOXBITL15	Tx15	
PUOXBITL20	Tx20	
PUOXBITL25	Tx25	
PUOXBITL30	Tx30	
PUOXBITL40	Tx40	

2.6 BOCA

Magnetic hexagonal nut setter




Technical data

CODE	Size	Length [mm]
BOCA055	5,5 mm	65
BOCA006	6,0 mm	
BOCA007	7,0 mm	
BOCA008	8,0 mm	
BOCA010	10,0 mm	
BOCA013	13,0 mm	

2.7 ABE-BO

Magnetic hexagonal nut setter for ABE-RM



Technical data

CODE	Size	Length [mm]
ABEBO10	10,0 mm	65
ABEBO13	13,0 mm	

2.8 DO-MT

Setting tool for MT family



Technical data

CODE	Valid for
DOMTA10	M6 – M8 – M10
DOMTA20	M12 – M14 – M16 – M20

2.9 PU-PM

1/4" Magnetic bit holder. Steel



Technical data

CODE	Size	Material	Magnet	Retaining ring	Torque max.
PUPM014	1/4" x 60 mm	Steel	✓	✗	15 Nm

2.10 PU-PMI

1/4" Magnetic bit holder. Stainless steel



Technical data

CODE	Size	Material	Magnet	Retaining ring	Torque max.
PUPMI014	1/4" x 60 mm	Stainless steel	✓	✓	30 Nm