



# POINT OF SALE

## CATALOGUE



INDEX® customised  
display design and installation  
service for customers



# POINT OF SALE

CATALOGUE

A  
PERFECT  
FIXING

4

PRESENTACIÓN

6

INDEX SPACE STUDIO

8

TYPES OF SHELVES

14

TYPES OF PACKAGING

16

STANDARD OPTIONS

52

EXAMPLES OF REAL  
IMPLEMENTATIONS

**INDEX®**  
A PERFECT FIXING

A PERFECT FIXING for  
**YOUR BUSINESS**



## AVAILABILITY AND WIDE PRODUCT RANGE

Over 10,000 products permanently in stock (guaranteed).



## WE ARE EXPERT MANUFACTURERS

Over 30 years of experience in manufacturing fixing systems enables us to ensure the maximum quality of all our products, the best service, and competitive overall costs.



## INTERNATIONAL PRESENCE

We are a global company with sales in more than 90 countries on the five continents and facilities in Spain, China and Mexico.



## QUALITY CUSTOMER SERVICE

Our customers are at the heart of everything we do. We have a team of over 300 people at your service.



## WE WORK WITH THE CHANNEL

We sell through the distribution channel, enabling us to gain first-hand market knowledge.



## CERTIFIED QUALITY

We hold the most important certificates and approvals, verifying that all of our products meet the highest quality standards.



## ENGINEERING AND TECHNICAL SUPPORT SERVICES

We support our customers with structural design and calculations, joint site visits, and technical training on topics related to fixing systems.



## INDEX SPACE ESTUDIO

We have the perfect display solution for all our customers, whatever their business.

INDEX Space Studio is the INDEX® customised display design and installation service for customers.

This service is unique to the market and 100% customisable according to the specific needs of each customer (e.g., product, packaging format, rotation, and/or business type), aiming to maximise the sales space.



## ADVANTAGES AND CHARACTERISTICS

- CUSTOMISABLE.** Installation service adapted to the needs of each business.
- 100% OPTIMISED INSTALLATIONS.** The system is designed to maximise the available space at the point of sale.
- MULTIPLE SOLUTIONS.** We offer a wide range of display solutions. Gondola, wall, end cap, island, promotional, etc.
- QUALITY AND SAFETY.** We work with high-quality furniture that guarantees the maximum safety and robustness of all components.
- VERSATILITY.** The system is compatible with all INDEX® products and packaging.
- WE OPTIMISE THE RESTOCKING PROCESS.** Aware of the importance of facilitating the restocking and maintenance of shelves, our furniture and packaging guarantee the most ergonomic and practical set-up.
- MAXIMUM PRODUCT VISIBILITY.** Designed to improve the end customer's purchasing decisions. We offer multiple visual merchandising solutions that complement and improve the installation.



## HOW DOES IT WORK?

INDEX SPACE STUDIO has 6 easy steps:

### 1. ANALYSIS

The INDEX® sales team works with the customer to analyse their needs (e.g., available space, products to be incorporated, type of packaging, etc.)

### 2. DESIGN

With the information obtained, the specialised installation team organises and optimises the product selection.

### 3. PRESENTATION

The proposed installation solution is presented with a 3D simulation of the shelving and the planogram, showing the arrangement of the product selection.

### 4. PREPARATION AND SHIPPING

To facilitate display assembly, new installation shipments are prepared separately from other usual orders.

### 5. ASSEMBLY

The INDEX® specialised assembly team carries out the entire initial assembly. Installation of the furniture, location of the product, and installation of merchandising elements.

### 6. MAINTENANCE AND MONITORING

We ensure regular inspections of each shelf installation, proposing possible improvements, maintaining it in optimal and updated conditions, and facilitating restocking.



## TYPES OF SHELVES

**INDEX**  
A PERFECT FIXING

## TYPES OF SHELVES

### WALL



#### SIZES AVAILABLE IN STOCK

- for wall displays:
- W: 100 cm.
- H: 150, 195 and 240 cm.
- D: 50 cm.

Other sizes available upon request. (Delivery time of 4 weeks):

- W: 50, 70, 85 and 130 cm.
- H: 135, 150, 225 and 255 cm.
- D: 50 cm.

**INDEX**  
A PERFECT FIXING



#### SIZES AVAILABLE IN STOCK

- for island displays:
- W: 100 cm.
- H: 150, 195 and 240 cm.
- D: 50 cm.

Other sizes available upon request. (Delivery time of 4 weeks):

- W: 50, 70, 85 and 130 cm.
- H: 135, 150, 225 and 255 cm.
- D: 50 cm.

### ISLAND



### ACCESSORIES FOR MURALS



#### STRAIGHT SHELVES

Suitable for the presentation of heavy products such as professional boxes and containers. Combined with separators, it is perfect for chemicals, silicones, and polyurethane foams.



#### SLOPING SHELVES

Improves the display of all products. Recommended for window box and INDEXmix display formats.



#### HOOKS

Available in 30, 40 and 50 cm. Recommended for displaying blister packs and EASYkits products.




#### BULK DRAWERS

Available in recycled plastic. Ideal for the presentation of bulk products.

### POSSIBLE COMBINATIONS ISLAND



**2 UNITS**  
A.100 | H.150 | F. 50 cm



**3 UNITS**  
A.100 | H.150 | F. 50 cm



**4 UNITS**  
A.100 | H.150 | F. 50 cm



#### TRAYS FOR CANS

Suitable for guaranteeing the perfect placement of chemical, silicone and/or adhesive cans.



#### HEADER CARTOUCHE

Improves brand visualisation, as well as promoting and communicating different products.

### PROMOTIONAL DISPLAYS AND OTHERS




**6 UNITS**  
A.100 | H.150 | F. 50 cm



**8 UNITS**  
A.100 | H.150 | F. 50 cm

At INDEX we offer our distributors a wide range of aids to **promote and communicate our products at the point of sale**, such as sets of shelves, posters, totems, stickers, and much more!

## SIGNAGE FOR MURAL HEADERS AND ISLANDS



Corporative INDEX

INDEXmix

Drill and thread-plate screws

Tornillería métrica

Metal fixings

Chemical fixings

Wood screws

Connectors for wood

Plastic fixings


Fixings for hollow materials

Rivets

Nails and hook screws



Plasterboard fixings



Nylon cable tie




Stainless fixings



Installation systems

## STOPPER PARA BALDAS



Metal fixings

Plastic fixings

Drill screws

Sheet metal screws

Wood screws

Metric screws


Plasterboard screws

Chemical fixings

## LABEL HOLDERS Y FLOOR VINYL



Generic label holders for shelves



INDEXmix label holders for shelves



Corporate floor vinyls



Floor vinyls for islands

## ADVERTISING BANNERS



Metal fixings



Chemical fixings



Fixings for hollow materials



Nylon cable tie



TH. Direct anchoring on concrete



MT. Anchoring for high loads



Silicones



MS adhesives



Plastic fixings



Installation systems



Plasterboard fixings



Stainless fixings



Chemical fixings



Polyurethane foams



TN4S. Multi-material nylon plug



TEX. High performance lag screw

## OUTDOOR SIGNS



## PUBLICITY IN THE SHOP



## TYPES OF PACKAGING

**INDEX**  
A PERFECT FIXING

**INDEX**  
A PERFECT FIXING

## TYPES OF PACKAGING



PLASTIC CONTAINERS



PROFESSIONAL BOX



BAG OF  
NYLON CABLE TIES



BOX WITH WINDOW  
Visual and appealing. Recommended  
for automatic sales shelves.



BLISTER  
The best solution for customers in need of  
small quantities.



EASYKits  
Everything needed to fix an  
element in a single kit



## STANDARD IMPLEMENTATIONS BY FORMAT (PACKAGING)



Blister implementation.  
1 metre

PAG. 18



Window box  
implementation. 1 metre

PAG. 20



Window box and blister  
implementation. 2 metres

PAG. 22

## STANDARD IMPLEMENTATIONS BY SECTOR



Fixation implementa-  
tion. 2 metres.

PAG. 36



Installation system imple-  
mentation. 3 metres.

PAG. 38



Implantation of  
nylon cable ties. 1 metre

PAG. 42



INDEXmix implemen-  
tation. 1 metre

PAG. 26



INDEXmix implemen-  
tation. 2 metres

PAG. 28



INDEXmix island  
implementation. 4 metres

PAG. 32



Installation of wood  
nuts and bolts.  
1 metre

PAG. 44



Drill and threaded-  
plate nuts and bolts  
implementation.  
1 metre

PAG. 46



Installation of  
standard nuts and  
bolts. 1 metre

PAG. 48



Installation of  
wood  
connectors.  
1 metre

PAG. 52

## STANDARD OPTIONS

### BLISTER implementation | 1 metre


#### 1 WALL UNIT

##### MEASUREMENTS:

**Width** 100 cm

**Depth**: 50 cm

**Height**: 240 cm



## STANDARD IMPLEMENTATIONS BY FORMAT (PACKAGING)

CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE
BZ125ZM06		Plain washer. Zinc-plated	M6	BZBOCA008		Magnetic hexagonal nut setter	8 mm.
BZ125ZM08		Plain washer. Zinc-plated	M8	BZCFBL		Nails. Easy picture hook	Blanco
BZ902104			M4	BZGMZ12020		Nails. U nail	12 x 20
BZ902105			M5	BZGMZ17030		Nails. 2 bit wing grip screw	17 x 30
BZ902106			M6	BZGMZ19035		Nails. Brown wing grip screw	19 x 35
BZ902108			M8	BZSVCBL		Cable clamp. Nylon cable clips (polyethylene 6.6), with steel zinc-plated nail. White	Blanco
BZ902110			M10	BZSVNB01		Screw eyes. Open end nut metric thread with screw	2 x 1,5
BZ934ZM04			M4	BZGRB070		Screw eyes. Closed-end nut metric thread with screw	2 x 2,5
BZ934ZM05			M5	BZGRB080		Nails. Copper-plated lead bit conical head	5 x 37
BZ934ZM06			M6	BZHARMO5037		Nails. Flat head steel nails	6 x 50
BZ934ZM08			M8	BZHARMO6050		2.25 x 20	Pequeño
BZ934ZM10			M10	BZHCRM05037		2.50 x 40	Pequeño
BZTUMAM06			M6	BZHCRM06050		3.40 x 50	
BZTUMAM08			M8	BZPACC15020		3.40 x 60	
BZ3Z04020		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M4 x 20	BZPACC20030		Nails. Brass bit convex head	1.5 x 20
BZ3Z05020			M5 x 20	BZPACC20040		Wire rope clip DIN 741. Zinc-plated	2 x 30
BZ3Z05050			M5 x 50	BZPACP22520		Turnbuckle hook/ring DIN-1480. Zinc-plated	6 x 50
BZ3Z06020			M6 x 20	BZPACP25040		Spring toggle. Hook	1/4"
BZ3Z06030			M6 x 30	BZPACP34050		Spring toggle. Projecting bolt	M5 Ø15
BZ3Z06040			M6 x 40	BZPACP34060		Spring toggle. Projecting bolt	M6 Ø16
BZ3Z06050			M6 x 50	BZPAGAM05		Drywall screw for plasterboard. Black-phosphated. Bugle head, twinfast thread, S-point. PH recess. Screw	3.5 x 25
BZ3Z06060			M6 x 60	BZPAESM05		Nylon plug for hollow bricks and plasterboard. Nylon anchor for use in hollow bricks and plasterboard panel walls. Plugs for plasterboard. Zamak plug with DIN 7981 4.2 x 32	3.5 x 35
BZ3Z06070			M6 x 70	BZPAXT1010		Plugs for plasterboard. Nylon plug	10 x 40 Ø10
BZ3Z08020			M8 x 20	BZSJZ0506		4-way expansion plug for all materials. Plug	13 x 32
BZ3Z08030			M8 x 30	BZSJZ0608		Coach wood screw with hexagonal head. Zinc-plated	15 x 33
BZ3Z08040			M8 x 40	BZTSCA06		Anti-spin sleeve anchor, for medium loads. Eye bolt	d6 - 6,5
BZ3Z08050			M8 x 50	BZPAESM05		Anti-spin sleeve anchor, for medium loads. Hook bolt	d8
BZ3Z08060			M8 x 60	BZPAGAM05		Turnbuckle hook/ring DIN-1480. Zinc-plated	1/4"
BZABP4225		Countersunk head self-drilling screw. Zinc-plated. PH recess	4,2 x 25	BZBAESM06		Spring toggle. Hook	M5 Ø15
BZABR3509		Panhead self-drilling screw. Zinc-plated. PH recess	3,5 x 9,5	BZPL35025		Spring toggle. Projecting bolt	M5 Ø16
BZABR3516			3,5 x 16	BZPL35035		Drywall screw for plasterboard. Black-phosphated. Bugle head, twinfast thread, S-point. PH recess. Screw	3.5 x 25
BZABR4216			4,2 x 16	BZANCLA40		Nylon plug for hollow bricks and plasterboard. Nylon anchor for use in hollow bricks and plasterboard panel walls. Plugs for plasterboard. Zamak plug with DIN 7981 4.2 x 32	3.5 x 35
BZABR4219			4,2 x 19	BZTAPLAME		Plugs for plasterboard. Nylon plug	10 x 40 Ø10
BZABR419			4,8 x 19	BZTAPLANY		4-way expansion plug for all materials. Plug	13 x 32
BZABR425			4,8 x 25	BZTN4S05		Coach wood screw with hexagonal head. Zinc-plated	15 x 33
BZABR4832		Anti-spin sleeve anchor, for medium loads. Eye bolt	M8 x 60 Ø10	BZTN4S06		Anti-spin sleeve anchor, for medium loads. Hook bolt	6 x 40
BZACHAI0C			M8 x 60 Ø10	BZTN4S08		Screw eyes. Open steel eye bolt	6 x 50
BZACHGI10C			M8 x 60 Ø10	BZTB06040		Screw eyes. Closed steel eye bolt. White lacquered	8 x 60
BZACTH08C			M6 x 45 Ø8	BZTB06050		Screw eyes. Closed steel eye bolt. White lacquered	8 x 60
BZACTH08L		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 ETA Assessed	M6 x 60 Ø8	BZTB08050		Hook screw. Round steel hook screw	3 x 16
BZACTH10C			M8 x 60 Ø10	BZTB08060		Screw eyes. Open eye bolt	3.5 x 16
BZALHAI7040			M8 x 80 Ø10	BZTPPO30016		4-way expansion plug for all materials. Plug + open eye bolt	3.5 x 20
BZALHA21100			17x40 (3,5 x 26 x 10)	BZTPPO35016		Screw eyes. Closed eye bolt. White lacquered	3.5 x 25
BZALHATS05			21x100 (5,6 x 61 x 18)	BZTPPO35020		Screw eyes. Closed eye bolt. White lacquered	3.5 x 30
BZALHATS06			5,6 x 60 Ø5 + 19x70 / 4,4x50	BZTPPO35030		Screw eyes. Closed eye bolt. White lacquered	3.5 x 40
BZALHC16030			6x30 Ø6 + 20x80 / 5x53	BZTPPO35040		Screw eyes. Closed eye bolt. White lacquered	4 x 16
BZALHC17040			16x30 (3,1 x 22 x 9)	BZTPPO40016		Hook screw. Threaded hook screw. White lacquered	4 x 20
BZALHC18050			17x40 (3,5 x 28 x 10)	BZTPPO40020		Hook screw. Threaded hook screw. White lacquered	4 x 25
BZALHC19060			18x50 (3,7 x 39 x 12)	BZTPPO40025		Hook screw. Threaded hook screw. White lacquered	4 x 30
BZALHC20080			19x60 (4,4 x 44 x 15)	BZTPPO40030		Hook screw. Threaded hook screw. White lacquered	4 x 35
BZALHC21090			20x60 (5 x 54 x 18)	BZTPPO45040		Hook screw. Threaded hook screw. White lacquered	4.5 x 40
BZALHC21100			21x90 (5,6 x 61 x 14)	BZTPPO45050		Hook screw. Threaded hook screw. White lacquered	4.5 x 50
BZALHCB1630			21x100 (5,6 x 66 x 18)	BZTPPO50030		Hook screw. Threaded hook screw. White lacquered	5 x 30
BZALRE25020			3,1 x 22 x 9	BZTPPO50040		Hook screw. Threaded hook screw. White lacquered	5 x 40
BZALRE35040			2,5 x 20 x 12	BZTPPO50050		Hook screw. Threaded hook screw. White lacquered	5 x 50
BZALROI6030			3,5 x 40 x 14	BZTPPO50060		Hook screw. Threaded hook screw. White lacquered	5 x 60
BZALROI7040			16x30 (3,1 x 20 x 10)	BZTPPO60040		Hook screw. Threaded hook screw. White lacquered	6 x 40
BZALROI8040			17x40 (3,5 x 29 x 13)	BZTPPO60060		Hook screw. Threaded hook screw. White lacquered	6 x 60
BZALROI8050			18x40 (3,7 x 28 x 14)	BZTPPO60070		Hook screw. Threaded hook screw. White lacquered	6 x 80
BZALROI9060	<img alt="Anti-spin sleeve anchor, for medium loads. Hexagonal						

## STANDARD OPTIONS

### WINDOW BOX implementation | 1 metre

#### 1 WALL UNIT

##### MEASUREMENTS:

**Width** 100 cm

**Depth:** 50 cm

**Height:** 240 cm



## STANDARD IMPLEMENTATIONS BY FORMAT (PACKAGING)

CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE
VACHA10C		Anti-spin sleeve anchor, for medium loads. Eye bolt	M8 x 60 Ø10	VD902106		Wide plain washer, Zinc-plated	M6
VACHT08C		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 ETA Assessed	M6 x 45 Ø8	VD902108		Nails. U nail	M8
VACHT08L		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 ETA Assessed	M6 x 60 Ø8	VD902110		Open steel eye bolt	M10
VACHT10C		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 ETA Assessed	M8 x 60 Ø10	VGMZ15026		Screw eyes. Closed steel eye bolt	15 x 26
VACHT10L		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 ETA Assessed	M8 x 80 Ø10	VGMZ19035		Hook screw. Threaded hook screw	19 x 35
VACHT12C		Through bolt anchor for heavy loads. Zinc-plated shaft. Zinc-plated clip	M10 x 70 Ø12	VALHAI8050		Coupling nut. Round	18x50 (3,7 x 34 x 12)
VAM08075		Through bolt anchor for heavy loads. Zinc-plated shaft. Zinc-plated clip	M8 x 75 Ø8	VALHAI9060		Drywall screw for plasterboard. Black-phosphated. Bugle head, twin-fast thread, S-point. PH recess.	19x60 (4,4 x 39 x 15)
VAM08090		Through bolt anchor for heavy loads. Zinc-plated shaft. Zinc-plated clip	M8 x 90 Ø8	VALHC19060		Plugs for plasterboard. Nylon plug	19x60 (4,4 x 42 x 15)
VAM10090		Through bolt anchor for heavy loads. Zinc-plated shaft. Zinc-plated clip	M10 x 90 Ø10	VALRO18050		Polyamide 6.6 Hammerfix plug. Preassembled saw-tooth screw. Countersunk plug	18x50 (3,7 x 37 x 15)
VAM12110		Through bolt anchor for heavy loads. Zinc-plated shaft. Zinc-plated clip	M12 x 110 Ø12	VALRO19060		4-way expansion plug for all materials. Plug	19x60 (4,4 x 46 x 17)
VABE4816		Self-drilling screw with hexagonal head. Screw	4,8 x 16	VMAR0630		Universal high performance nylon plug. Countersunk head. TX recess. Zinc-plated. ETA Assessed	15 x 30
VABE4819		Self-drilling screw with hexagonal head. Screw	4,8 x 19	VMAR0830		Universal high performance nylon plug. Hexagonal head. TX recess. Zinc-plated. ETA Assessed	18x50 Ø6
VABE4825		Self-drilling screw with hexagonal head. Screw	4,8 x 25	VPL35025		Coach wood screw with hexagonal head. Zinc-plated	18x50 Ø6
VABE5522		Self-drilling screw with hexagonal head. Screw	5,5 x 22	VPL35035		Tamperproof screw with TX recess. Black/zinc plated	18x50 Ø6
VABE6325		Self-drilling screw with hexagonal head. Screw	6,3 x 25	VPL35045		Countersunk head self-drilling screw. Zinc-plated. PH recess	18x50 Ø6
VABE6332		Self-drilling screw with hexagonal head. Screw	6,3 x 32	TAPLANY		Rivets. Wide head. Aluminium	18x50 Ø6
VABE6350		Self-drilling screw with hexagonal head. Screw	6,3 x 50	VTCCA05030		Rivets. Panhead. Aluminium	18x50 Ø6
VABE144819		Self-drilling screw with hexagonal head. Screw	4,8 x 19 P14	VTCCA06040		Hexagonal head bolt 8.8. Full thread. Zinc-plated	18x50 Ø6
VABE144825		Self-drilling screw with hexagonal head. Screw	4,8 x 25 P14	VTCCA06060		Hexagonal nut. Zinc-plated	18x50 Ø6
VABE165522		Self-drilling screw with hexagonal head. Screw	5,5 x 22 P16	VTCCA08060		Plain washer. Zinc-plated	18x50 Ø6
VABE165525		Self-drilling screw with hexagonal head. Screw	5,5 x 25 P16	VTCCA08080		4.2 x 25. Zinc-plated. PH recess	18x50 Ø6
VABE165532		Self-drilling screw with hexagonal head. Screw with vulcanized EPDM-steel washer	5,5 x 32 P16	TN4505		4.2 x 32. Zinc-plated. PH recess	18x50 Ø6
VABE165550		Self-drilling screw with hexagonal head. Screw with vulcanized EPDM-steel washer	5,5 x 50 P16	TN4506		4.2 x 38. Zinc-plated. PH recess	18x50 Ø6
VABE166325		Vulcanized EPDM-steel washer. ATLANTIS C2-M coating	6,3 x 25 P16	TN4508		4.2 x 45. Zinc-plated. PH recess	18x50 Ø6
VABE166332		Vulcanized EPDM-steel washer. ATLANTIS C2-M coating	6,3 x 32 P16	TN4510		4.2 x 50. Zinc-plated. PH recess	18x50 Ø6
VABE166338		Vulcanized EPDM-steel washer. ATLANTIS C2-M coating	6,3 x 38 P16	VTNUXA08080		4.2 x 55. Zinc-plated. PH recess	18x50 Ø6
VARANE16		Vulcanized EPDM-steel washer. ATLANTIS C2-M coating	P16	VTNUXA10100		4.2 x 60. Zinc-plated. PH recess	18x50 Ø6
VARANE18		Vulcanized EPDM-steel washer. ATLANTIS C2-M coating	P18	VTNUXE08080		4.2 x 65. Zinc-plated. PH recess	18x50 Ø6
VABR3509		Panhead self-drilling screw. Zinc-plated. PH recess	3,5 x 9,5	VTB06040		4.2 x 70. Zinc-plated. PH recess	18x50 Ø6
VABR3513		Panhead self-drilling screw. Zinc-plated. PH recess	3,5 x 13	VTB06050		4.2 x 75. Zinc-plated. PH recess	18x50 Ø6
VABR3516		Panhead self-drilling screw. Zinc-plated. PH recess	3,5 x 16	VTB06060		4.2 x 80. Zinc-plated. PH recess	18x50 Ø6
VABR4213		Panhead self-drilling screw. Zinc-plated. PH recess	4,2 x 13	VTB08050		4.2 x 85. Zinc-plated. PH recess	18x50 Ø6
VABR4216		Panhead self-drilling screw. Zinc-plated. PH recess	4,2 x 16	VTB08060		4.2 x 90. Zinc-plated. PH recess	18x50 Ø6
VABR4219		Panhead self-drilling screw. Zinc-plated. PH recess	4,2 x 19	VTB08070		4.2 x 95. Zinc-plated. PH recess	18x50 Ø6
VABR4816		Panhead self-drilling screw. Zinc-plated. PH recess	4,8 x 16	VTB08070		4.2 x 100. Zinc-plated. PH recess	18x50 Ø6
VABR4819		Panhead self-drilling screw. Zinc-plated. PH recess	4,8 x 19	VTB08080		4.2 x 105. Zincplated. PH recess	18x50 Ø6
VABR4825		Panhead self-drilling screw. Zinc-plated. PH recess	4,8 x 25	VTB10080		4.2 x 110. Zincplated. PH recess	18x50 Ø6
VABR4832		Panhead self-drilling screw. Zinc-plated. PH recess	4,8 x 32	VTB10100		4.2 x 115. Zincplated. PH recess	18x50 Ø6
VABR4838		Panhead self-drilling screw. Zinc-plated. PH recess	4,8 x 38	VINVN7070		4.2 x 120. Zincplated. PH recess	18x50 Ø6
VABP4219		Countersunk head self-drilling screw. Zinc-plated. PH recess	4,2 x 19	VINVZ7070		4.2 x 125. Zincplated. PH recess	18x50 Ø6
VABP4225		Countersunk head self-drilling screw. Zinc-plated. PH recess	4,2 x 25	VTPO035016		4.2 x 130. Zincplated. PH recess	18x50 Ø6
VABP4232		Countersunk head self-drilling screw. Zinc-plated. PH recess	4,2 x 32	VTPO035020		4.2 x 135. Zincplated. PH recess	18x50 Ø6
VABP4338		Rivets. Wide head. Aluminium	4,8 x 38	VTPO035025		4.2 x 140. Zincplated. PH recess	18x50 Ø6
VRECA4010		Rivets. Wide head. Aluminium	4 x 10	VTPO035030		4.2 x 145. Zincplated. PH recess	18x50 Ø6
VRECA4816		Rivets. Wide head. Aluminium	4,8 x 16	VTPO035040		4.2 x 150. Zincplated. PH recess	18x50 Ø6
VRECA4818		Rivets. Wide head. Aluminium	4,8 x 18	VTPO035050		4.2 x 155. Zincplated. PH recess	18x50 Ø6
VREFL4835		Rivets. Peel head	4,8 x 35	VTPO040016		4.2 x 160. Zincplated. PH recess	18x50 Ø6
VRENO4012		Rivets. Panhead. Aluminium	4 x 12	VTPO040020		4.2 x 165. Zincplated. PH recess	18x50 Ø6
VRENO4016		Rivets. Panhead. Aluminium	4 x 16	VTPO040030		4.2 x 170. Zincplated. PH recess	18x50 Ø6
VRENO4810		Rivets. Panhead. Aluminium	4,8 x 10	VTPO040035		4.2 x 175. Zincplated. PH recess	18x50 Ø6
VRENO4816		Rivets. Panhead. Aluminium	4,8 x 16	VTPO040040		4.2 x 180. Zincplated. PH recess	18x50 Ø6
VRENO4820		Rivets. Panhead. Aluminium	4,8 x 20	VTPO040050		4.2 x 185. Zincplated. PH recess	18x50 Ø6
VD93306020		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M6 x 20	VTPO040060		4.2 x 190. Zincplated. PH recess	18x50 Ø6
VD93306030		Hexagonal head bolt 8.8. Full thread. Zinc-plated					

## WINDOW BOX and BLISTER implementation | 2 metres



### 2 WALL UNIT

#### MEASUREMENTS:

Width 200 cm

Depth: 50 cm

Height: 240 cm



## STANDARD OPTIONS

### WINDOW BOX and BLISTER implementation | 2 metres

CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE
BZALHAI7040		Open steel eye bolt	17x40 (3,5 x 26 x 10)	BZABR3509		Panhead self-drilling screw. Zinc-plated. PH recess	3,5 x 9,5	BZ3Z08040		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M8 x 40	VTB08080		4-way expansion plug for all materials. Plug + open eye bolt	8 x 80
BZALHA2100			21x100 (5,6 x 61 x 18)	BZABR3516			3,5 x 16	BZ3Z08050			M8 x 50	BZALHATS06			6x30 Ø6 + 20x80 / 5x53
BZALHC16030			16x30 (3,1 x 22 x 9)	BZABR4216			4,2 x 16	BZ3Z08060			M8 x 60	BZALROTS05			5x25 Ø5 + 18x50 / 4,1x37
BZALHC17040			17x40 (3,5 x 28 x 10)	BZABR4219			4,2 x 19	VD93306020			M6 x 20	BZALROTS06			6x30 Ø6 + 19x60 / 4,4x46
BZALHC18050			18x50 (3,7 x 39 x 12)	BZABR4819			4,8 x 19	VD93306030			M6 x 30	BZTPPOTS05			5x25 Ø5 + 4x30
BZALHC19060		Screw eyes. Closed steel eye bolt	19x60 (4,4 x 42 x 15)	BZABR4825			4,8 x 25	VD93306040			M6 x 40	BZTPPOTS08			8x40 Ø8 + 5x60
BZALHC20080			20x80 (5 x 54 x 18)	BZABR4832		Panhead self-drilling screw. Zinc-plated. PH recess	4,8 x 32	VD93308016			M8 x 16	BZTPO30016		4-way expansion plug for all materials. Plug + chipboard screw	3 x 16
BZALHC21090			21x90 (5,6 x 61 x 14)	VABR3509			3,5 x 9,5	VD93308020			M8 x 20	BZTPO35016			3,5 x 16
BZALHC21100			21x100 (5,6 x 66 x 18)	VABR3513			3,5 x 13	VD93308030			M8 x 30	BZTPO35020			3,5 x 20
BZALROI6030			16x30 (3,1 x 20 x 10)	VABR3516			3,5 x 16	VD93308040			M8 x 40	BZTPO35025			3,5 x 25
BZALROI7040			17x40 (3,5 x 29 x 13)	VABR4213			4,2 x 13	VD93308060			M8 x 60	BZTPO35030			3,5 x 30
BZALROI8040			18x40 (3,7 x 28 x 14)	VABR4216			4,2 x 16	VD93310040			M10 x 40	BZTPO35040			3,5 x 40
BZALROI8050			18x50 (3,7 x 37 x 15)	VABR4219			4,2 x 19	VD93310050			M10 x 50	BZTPO40016			4 x 16
BZALROI9050			19x50 (4,4 x 37 x 15)	VABR4816			4,8 x 16	BZGMZ12020		Nails. U nail	12 x 20	BZTPO40020			4 x 20
BZALROI9060			19x60 (4,4 x 46 x 17)	VABR4819			4,8 x 19	BZGMZ17030			17 x 30	BZTPO40025			4 x 25
BZALROI9070			19x70 (4,4 x 55 x 18)	VABR4825			4,8 x 25	BZGMZ19035			19 x 35	BZTPO40030			4 x 30
BZALRO20060			20x60 (5 x 44 x 20)	VABR4832			4,8 x 32	VGMZ15026		Cable clamp. Nylon cable clips (polyethylene 6.6), with steel zinc-plated nail. White	15 x 26	BZTPO40035			4 x 35
BZALRO20070			20x70 (5 x 53 x 20)	VABR4838			4,8 x 38	VGMZ19035			19 x 35	BZTPO40040			4 x 40
BZALRO21090			21x90 (5,6 x 70 x 22)	BZAPB4225			4,2 x 25	BZGRB070		Open steel eye bolt. Rosca métrica con tuerca	5 x 37	BZTPO45040			4 x 50
BZSVCLB		Nails. 2 bit wing grip screw	Blanco	VABP4219		Countersunk head self-drilling screw. Zinc-plated. PH recess	4,2 x 19	BZGRB080			6 x 50	BZTPO45050			4,5 x 40
BZSVNB01		White wing grip screw	Pequeno	VABP4225			4,2 x 25	BZHARM05037		Screw eyes. Closed steel eye bolt. Rosca métrica con tuerca	5 x 37	BZTPO50030			5 x 30
BZPACCI5020			1,5 x 20	VABP4232			4,2 x 32	BZHARM06050			6 x 50	BZTPO50040			5 x 40
BZPACC20030		Brass bit convex head	2 x 30	VABP4838			4,8 x 38	BZHCRM05037			6 x 50	BZTPO50050			5 x 50
BZPACC20040			2 x 40	VRECA4010		Rivets. Wide head. Aluminium	4 x 10	BZHCRM06050			6 x 50	BZTPO50060			6 x 60
BZPACP22520			2,25 x 20	VRECA4816			4,8 x 16	VINVZ7070		Tamperproof screw with TX recess. Zinc-plated	7 x 70	BZTPO50050			6 x 80
BZPACP25040			2,50 x 40	VRECA4818			4,8 x 18	VMAR0630		Coupling nut. Round	M6 x 30	BZTPO50060			6 x 100
BZPACP25050		Flat head steel nails	2,50 x 50	VREFL4835		Rivets. Peel head	4,8 x 35	VMAR0830			M8 x 30	BZTPO60040			6 x 120
BZPACP34050			3,40 x 50	VRENO4012			4 x 12	BZTSGA06		Turnbuckle hook/ring DIN-1480. Zinc-plated	1/4"	BZTPO60060			6 x 140
BZPACP34060			3,40 x 60	VRENO4016			4 x 16	BZPAESM05		Spring toggle	M5 Ø15	BZTPO60080			6 x 160
BZPACX11010		Brass bit convex head	1,1 x 10	VRENO4810			4,8 x 10	BZPAGAM05			3,5 x 25	VTPO35016		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	3,5 x 16
BZBOCA008		Magnetic hexagonal nut setter	8 mm.	VRENO4816			4,8 x 16	BZPL35025			3,5 x 20	VTPO35020			3,5 x 25
BZACHA10C		Anti-spin sleeve anchor, for medium loads. Eye bolt	M8 x 60 Ø10	VRENO4820			M4	BZPL35035			3,5 x 30	VTPO35030			3,5 x 40
BZACHG10C		Anti-spin sleeve anchor, for medium loads. Hook bolt	M8 x 60 Ø10	BZ902105			M5	BZPL35045			3,5 x 50	VTPO35040			3,5 x 50
BZACHT08C			M6 x 45 Ø8	BZ902106		Wide plain washer. Zinc-plated	M6	BZTAPLAME		Drywall screw for plasterboard. Black-phosphated. Bugle head, twinfast thread, S-point. PH recess.	3,5 x 25	VTPO40016			4 x 16
BZACHT08L			M6 x 60 Ø8	BZ902108			M8	BZTAPLANY		Plugs for plasterboard. Nylon plug	15 x 33	VTPO40020			4 x 20
BZACHT10C			M6 x 60 Ø8	BZ902110			M6	BZANCLA40		Nylon anchor for use in hollow bricks and plasterboard panel walls	10 x 40 Ø10	VTPO40030			4 x 30
BZACHT10L		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 ETA Assessed	M8 x 80 Ø10	VD902106			M10	VTCCA05030			5 x 30 Ø5	VTPO40035			4 x 35
VACHT08L			M6 x 60 Ø8	VD902108			M6	VTCCA06040			6 x 40 Ø6	VTPO40040			4 x 40
VACHT10C			M8 x 80 Ø10	VD902110			M8	VTCCA06060			6 x 60 Ø6	VTPO40050			4 x 50
VACHT10L			M8 x 80 Ø10	BZ125ZM06		Plain washer. Zinc-plated	M6	VTCCA08060			8 x 60 Ø8	VTPO40060			4 x 60
VACHT11C			M10 x 70 Ø12	BZ125ZM08			M8	VTCCA08080			8 x 80 Ø8	VTPO40540			4,5 x 40
VAM08075			M8 x 75 Ø8	VD12506			M6	BZTN4S05			5 x 25 Ø5	VTPO45050			4,5 x 50
VAM08090			M8 x 90 Ø8	VD12508			M10	BZTN4S06			6 x 30 Ø6	VTPO45060			4,5 x 60
VAM10090		Through bolt anchor for heavy loads. Zinc-plated shaft. Zinc-plated clip	M10 x 90 Ø10	VD12510			M4	BZTN4S08			8 x 40 Ø8	VTPO50040			5 x 40
VAM12110			M12 x 110 Ø12	BZ934ZM04			M5	BZTN4S10		4-way expansion plug for all materials. Plug	10 x 50 Ø10	VTPO50050			5 x 50
VARANE16			P16	BZ934ZM05			M6	TN4S05			12 x 60 Ø12	VTPO50060			5 x 60
VARANE18			P18	BZ934ZM06		Hexagonal nut. Zinc-plated	M6	TN4S06			5 x 25 Ø5	VTPO50070			5 x 70
VABE4816			4,8 x 16	BZ934ZM08			M8	TN4S08			6 x 30 Ø6				

## STANDARD OPTIONS

### INDEXmix implementation | 1 metre


#### 1 WALL UNIT

##### MEASUREMENTS:

**Width** 100 cm


**Depth**: 50 cm

**Height**: 240 cm



## STANDARD IMPLEMENTATIONS BY FORMAT (PACKAGING)

CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE
ACHA10C		Anti-spin sleeve anchor, for medium loads. Eye bolt	M8 x 60 Ø10	TPPO40050		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	4 x 50
ACHT08C		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 EVA Assessed	M6 x 45 Ø8	TPPO40060		Drywall screw for plasterboard. Black-phosphated. Bugle head, twinfast thread, S-point. PH recess. Screw	4 x 60
ACHT10C		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 EVA Assessed	M8 x 60 Ø10	TPPO50050		Polyamide 6.6 Hammerfix plug. Preassembled saw-tooth screw. Countersunk plug	5 x 50
ACHT12C		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 EVA Assessed	M10 x 70 Ø12	TPPO50060		Panhead self-drilling screw. Zinc-plated. PH recess	5 x 60
ACHT12L		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 EVA Assessed	M10 x 100 Ø12	TPPO50070		4-way expansion plug for all materials. Plug	5 x 70
PL35025		Drywall screw for plasterboard. Black-phosphated. Bugle head, twinfast thread, S-point. PH recess. Screw	3,5 x 25	TPPO50080		Panhead self-drilling screw. Zinc-plated. PH recess	5 x 80
PL35035		Drywall screw for plasterboard. Black-phosphated. Bugle head, twinfast thread, S-point. PH recess. Screw	3,5 x 35	TPPO60060		Panhead self-drilling screw. Zinc-plated. PH recess	6 x 60
PL35045		Drywall screw for plasterboard. Black-phosphated. Bugle head, twinfast thread, S-point. PH recess. Screw	3,5 x 45	TPPO60100		Panhead self-drilling screw. Zinc-plated. PH recess	6 x 100
TCCA05030		Polyamide 6.6 Hammerfix plug. Preassembled saw-tooth screw. Countersunk plug	5 x 30 Ø5				
TCCA06040		Polyamide 6.6 Hammerfix plug. Preassembled saw-tooth screw. Countersunk plug	6 x 40 Ø6				
TCCA06060		Polyamide 6.6 Hammerfix plug. Preassembled saw-tooth screw. Countersunk plug	6 x 60 Ø6				
TCCA08080		4-way expansion plug for all materials. Plug	8 x 80 Ø8				
TN4S05		4-way expansion plug for all materials. Plug	5 x 25 Ø5				
TN4S06		4-way expansion plug for all materials. Plug	6 x 30 Ø6				
TN4S08		4-way expansion plug for all materials. Plug	8 x 40 Ø8				
TN4S10		Panhead self-drilling screw. Zinc-plated. PH recess	10 x 50 Ø10				
ABR3509		Panhead self-drilling screw. Zinc-plated. PH recess	3,5 x 9,5				
ABR3513		Panhead self-drilling screw. Zinc-plated. PH recess	3,5 x 13				
ABR3516		Panhead self-drilling screw. Zinc-plated. PH recess	3,5 x 16				
ABR4213		Panhead self-drilling screw. Zinc-plated. PH recess	4,2 x 13				
ABR4216		Panhead self-drilling screw. Zinc-plated. PH recess	4,2 x 16				
ABR4219		Panhead self-drilling screw. Zinc-plated. PH recess	4,2 x 19				
ABR4816		Panhead self-drilling screw. Zinc-plated. PH recess	4,8 x 16				
ABR4819		Panhead self-drilling screw. Zinc-plated. PH recess	4,8 x 19				
ABR4825		Panhead self-drilling screw. Zinc-plated. PH recess	4,8 x 25				
ABE4213		Self-drilling screw with hexagonal head. Screw	4,2 x 13				
ABE4216		Self-drilling screw with hexagonal head. Screw	4,2 x 16				
ABE4219		Self-drilling screw with hexagonal head. Screw	4,2 x 19				
ABE4816		Self-drilling screw with hexagonal head. Screw	4,8 x 16				
ABE4819		Self-drilling screw with hexagonal head. Screw	4,8 x 19				
ABE4825		Self-drilling screw with hexagonal head. Screw	4,8 x 25				
ABE5522		Vulcanized EPDM-steel washer. ATLANTIS C2-M coating	5,5 x 22				
ABE5525		Vulcanized EPDM-steel washer. ATLANTIS C2-M coating	5,5 x 25				
ABE5532		Plain washer. Zinc-plated	5,5 x 32				
ABE6325		Plain washer. Zinc-plated	6,3 x 25				
ABE6332		Plain washer. Zinc-plated	6,3 x 32				
ARANE16		Hexagonal head bolt 8.8. Full thread. Zinc-plated	P16				
ARANE25		Hexagonal head bolt 8.8. Full thread. Zinc-plated	P25				
DI2505		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M5				
DI2506		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M6				
DI2508		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M8				
DI2510		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M10				
D93305030		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M5 x 30				
D93305040		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M5 x 40				
D93306010		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M6 x 10				
D93306016		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M6 x 16				
D93306020		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M6 x 20				
D93306030		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M6 x 30				
D93308016		Hexagonal nut. Zinc-plated	M8 x 16				
D93308020		Hexagonal nut. Zinc-plated	M8 x 20				
D93308030		Hexagonal nut. Zinc-plated	M8 x 30				
D93308040		Hexagonal nut. Zinc-plated	M8 x 40				
D93310030		Hexagonal nut. Zinc-plated	M10 x 30				
D93310040		Hexagonal nut. Zinc-plated	M10 x 40				
D93310050		Hexagonal nut. Zinc-plated	M10 x 50				
D93405		Hexagonal nut. Zinc-plated	M5				
D93406		Hexagonal nut. Zinc-plated	M6				
D93408		Hexagonal nut. Zinc-plated	M8				
D93410		Hexagonal nut. Zinc-plated	M10				
TPPO35016		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	3,5 x 16				
TPPO35020		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	3,5 x 20				
TPPO35025		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	3,5 x 25				
TPPO35030		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	3,5 x 30				
TPPO35035		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	3,5 x 35				
TPPO35040		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	3,5 x 40				
TPPO35050		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	3,5 x 50				
TPPO40016		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	4 x 16				
TPPO40020		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	4 x 20				
TPPO40025		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	4 x 25				
TPPO40040		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	4 x 40				



## INDEXmix implementation | 2 metres

## 2 WALL UNIT

## MEASUREMENTS:

Width 200 cm

Depth: 50 cm

Height: 240 cm



## STANDARD OPTIONS

## STANDARD IMPLEMENTATIONS BY FORMAT (PACKAGING)

### INDEXmix implementation | 2 metres

CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE
ACHA08C		Anti-spin sleeve anchor, for medium loads. Eye bolt	M6 x 45 Ø8	D12508		Plain washer, Zinc-plated	M8	TPPO35030			3,5 x 30
ACHA10C		Anti-spin sleeve anchor, for medium loads. Hook bolt	M6 x 45 Ø8	D12510		Plain washer, Zinc-plated	M10	TPPO35035			3,5 x 35
ACHG08C		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 ETA Assessed	M6 x 45 Ø8	D91204020		Hexagon socket head screw 8.8. Metric screw with Allen head 8.8. Zinc-plated	M4 x 20	TPPO35040			3,5 x 40
ACHG10C			M8 x 60 Ø10	D91205016			M5 x 16	TPPO35050			3,5 x 50
ACHT08C			M6 x 45 Ø8	D91205020		Drywall screw for plasterboard. Black-phosphated. Bugle head, twinfast thread, S-point. PH recess. Screw	M5 x 20	TPPO40016			4 x 16
ACHT10C			M8 x 60 Ø10	D91205025			M5 x 25	TPPO40020			4 x 20
ACHT10L			M8 x 80 Ø10	D91206020			M6 x 20	TPPO40025			4 x 25
PL35025		Polyamide 6.6 Hammerfix plug. Pre-assembled saw-tooth screw. Countersunk plug	3,5 x 25	D91305030			M6 x 30	TPPO40030			4 x 30
PL35035			3,5 x 35	D93305040			M5 x 30	TPPO40035			4 x 35
PL35045			3,5 x 45	D93306010			M5 x 40	TPPO40040			4 x 40
TCCA05030			5 x 30 Ø5	D93306016			M6 x 10	TPPO40050			4 x 50
TCCA06040			6 x 40 Ø6	D93306020			M6 x 16	TPPO40060			4 x 60
TCCA06060			6 x 60 Ø6	D93306030			M6 x 20	TPPO45030		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	4,5 x 30
TCCA08080			8 x 80 Ø8	D93308016		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M6 x 30	TPPO45035			4,5 x 35
TN4S05			5 x 25 Ø5	D93308016			M8 x 16	TPPO45040			4,5 x 40
TN4S06		4-way expansion plug for all materials. Plug	6 x 30 Ø6	D93308020			M8 x 20	TPPO45050			4,5 x 50
TN4S08			8 x 40 Ø8	D93308030			M8 x 30	TPPO50040			5 x 40
TN4S10			10 x 50 Ø10	D93308040			M8 x 40	TPPO50050			5 x 50
ABR3509			3,5 x 9,5	D93310030			M10 x 30	TPPO50060			5 x 60
ABR3513			3,5 x 13	D93310040			M10 x 40	TPPO50070			5 x 70
ABR3516			3,5 x 16	D93310050			M10 x 50	TPPO50080			5 x 80
ABR3519			3,5 x 19	D93405			M5	TPPO60060			6 x 60
ABR3913			3,9 x 13	D93406		Hexagonal nut, Zinc-plated	M6	TPPO60100			6 x 100
ABR4213			4,2 x 13	D93408			M8				
ABR4216		Panhead self-drilling screw. Zinc-plated. PH recess	4,2 x 16	D93410			M10				
ABR4225			4,2 x 25	T0840308Z			M3 x 8				
ABR4816			4,8 x 16	T0840420Z			M4 x 20				
ABR4819			4,8 x 19	T0840516Z		Cylindrical head screw. Slotted recess. 4.8. Screw with cylindrical head, slotted recess, 4.8. Zinc-plated	M5 x 16				
ABR4825			4,8 x 25	T0840520Z			M5 x 20				
ABR4832			4,8 x 32	TB12909			2,9 x 9,5				
ABR4838			4,8 x 38	TB135009			3,5 x 9,5				
ABR4850			4,8 x 50	TB142009			4,2 x 9,5				
ABE144819			4,8 x 19 P14	TB142013			4,2 x 13				
ABE144825			4,8 x 25 P14	TB142016			4,2 x 16				
ABE164819			4,8 x 19 P16	TB148013			4,8 x 16				
ABE165522			5,5 x 22 P16	TB148016			4,8 x 25				
ABE165525			5,5 x 25 P16	TB148025			3,5 x 9,5				
ABE165532			5,5 x 32 P16	TB235009			4,2 x 13				
ABE165538			5,5 x 38 P16	TB242013			4,2 x 16				
ABE165550			5,5 x 50 P16	TB242016			4,2 x 19				
ABE166325			6,3 x 25 P16	TB242019		Countersunk head self tapping screw. Zinc-plated. PH recess	4,8 x 13				
ABE166332			6,3 x 32 P16	TB248013			4,8 x 16				
ABE4213			4,2 x 13	TB248016			4,8 x 25				
ABE4216			4,2 x 16	TB248025			4,8 x 38				
ABE4219			4,2 x 19	TB248038			M3 x 10				
ABE4816			4,8 x 16	T9650310Z			M4 x 8				
ABE4819			4,8 x 19	T9650408Z			M4 x 10				
ABE4825			4,8 x 25	T9650410Z			M4 x 16				
ABE5522			5,5 x 22	T9650416Z			M4 x 20				
ABE5525			5,5 x 25	T9650420Z			M4 x 30				
ABE5532			5,5 x 32	T9650430Z			M5 x 30				
ABE6325			6,3 x 25	T9650530Z			M6 x 16				
ABE6332			6,3 x 32	T9650616Z			M3 x 6				
ABP3516			3,5 x 16	T9850306Z			M4 x 6				
ABP3519			3,5 x 19	T9850406Z			M4 x 10				
ABP4216			4,2 x 16	T9850410Z			M4 x 16				
ABP4219			4,2 x 19	T9850416Z			M5 x 6				
ABP4225			4,2 x 25	T9850506Z			M5 x 10				
ABP4232			4,2 x 32	T9850510Z			M5 x 16				
ABP4825			4,8 x 25	T9850516Z			M6 x 10				
ABP4832			4,8 x 32	T9850610Z			M6 x 16				
ABP4838			4,8 x 38	T9850616Z			M6 x 20				
ABP4850			4,8 x 50	TPPO30016			3 x 16				
ARANE16			P16	TPPO30020			3 x 20				
ARANE18			Vulcanized EPDM-steel washer. ATLANTIS C2-M coating	TPPO30030			3 x 30				
ARANE25			P18	TPPO35016			3,5 x 16				
D12505			P25	TPPO35020			3,5 x 20				
D12506			M5	TPPO35025			3,5 x 25				



## INDEXmix island implementation | 4 metres


### 2 ISLAND UNITS

#### MEASUREMENTS (PER UNIT):

Width 100 cm

Depth: 50 cm

Height: 150 cm



## STANDARD OPTIONS

### INDEXmix island implementation | 4 metres

CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE
DRILL AND THREADED-PLATE FASTENER UNIT															
ABR3509			3,5 x 9,5	ACHA10C		Anti-spin sleeve anchor, for medium loads. Eye bolt	M8 x 60 Ø10	D12506		Plain washer. Zinc-plated	M6	MAR0630		Coupling nut. Round	M6 x 30
ABR3513			3,5 x 13	ACHT08C		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 E1A Assessed	M6 x 45 Ø8	D12508			M8	MAR0830			M8 x 30
ABR3516			3,5 x 16	ACHT08L			M6 x 60 Ø8	D12510			M10	ALHA14025			14x25 (2,6 x 18 x 7)
ABR4213			4,2 x 13	ACHT10C			M8 x 60 Ø10	D603906020			M10 x 20	ALHA16030			16x30 (3,1 x 22 x 9)
ABR4216			4,2 x 16	ACHT10L			M8 x 80 Ø10	D603906030			M6 x 30	ALHA17040			17x40 (3,5 x 26 x 10)
ABR4219			4,2 x 19	AM08090		Through bolt anchor for heavy loads. Zinc-plated shaft. Zinc-plated clip	M8 x 90 Ø8	D603906040		Round head screw with square neck and hexagonal nut. Bolt with panhead; square neck and hexagonal nut. Zinc plated	M6 x 40	ALHA18050			18x30 (4,1 x 34 x 12)
ABR4225			4,2 x 25	AM10090		Drop-in anchor with internal thread for heavy loads. Zinc-plated	M10 x 90 Ø10	D603906060			M6 x 60	ALHA19060			19x60 (4,4 x 39 x 15)
ABR4238		Panhead self-drilling screw. Zinc-plated. PH recess	4,2 x 38	HENOM08		Indemoll anchor for hollow elements fixing. With panhead screw	M8 x 30 Ø10	D603906080			M6 x 80	ALHA19070			19x70 (4,4 x 41 x 15)
ABR4816			4,8 x 16	INCO438		Rivets. Wide head. Aluminium	M4 x 47 Ø 8	D902105		Wide plain washer. Zinc-plated	M5	ALHA20080			20x70 (5 x 44 x 14)
ABR4819			4,8 x 19	INCO552			M4 x 59 Ø 10	D902106			M6	ALHA21090			20x80 (5 x 50 x 18)
ABR4825			4,8 x 25	INCO652			M6 x 59 Ø 12	D902108			M8	ALHA21100			20x90 (5,6 x 56 x 14)
ABR4832			4,8 x 32	RECA4010			4 x 10	D902110			M10	ALHA22110			21x100 (5,6 x 61 x 18)
ABR4838			4,8 x 38	RECA4816		Rivets. Peel head	4,8 x 16	D91205016		Hexagon socket head screw 8.8. Metric screw with Allen head 8.8. Zinc-plated	M5 x 16	ALHA22120			22x10 (6 x 74 x 24)
ABR4850			4,8 x 50	REFL4816			4 x 10	D91206020			M6 x 20	ALHAB17040			17x40 (3,5 x 26 x 10)
ABR4860			4,8 x 60	RENO4010			4 x 12	D93304020			M4 x 20	ALHAB18050			18x50 (3,7 x 34 x 12)
ABR5532			5,5 x 32	RENO4012			4 x 16	D93305020			M5 x 20	ALHC14025			14x25 (2,6 x 18 x 7)
ABE144819		Self-drilling screw with hexagonal head. Screw with vulcanized EPDM-steel washer	4,8 x 19 P14	RENO4016		Rivets. Panhead. Aluminium	4 x 16	D93305030			M5 x 30	ALHC16030			16x30 (3,1 x 22 x 9)
ABE166325			6,3 x 25 P16	RENO4810			4,8 x 10	D93306010			M6 x 10	ALHC17040			17x40 (3,5 x 28 x 10)
ABE4213			4,2 x 13	RENO4812		Brass expansion anchor for light fastenings in solid materials. Brass expansion anchor for light fixings in solid materials	4,8 x 12	D93306016			M6 x 16	ALHC18050			18x50 (3,7 x 39 x 12)
ABE4216			4,2 x 16	TALAM06		Plugs for plasterboard. Nylon plug	M6 x 23 Ø8	D93306020			M6 x 20	ALHC19050			19x50 (4,4 x 35 x 12)
ABE4219			4,2 x 19	TAPLANY			15 x 33	D93306025			M6 x 25	ALHC19060			19x60 (4,4 x 42 x 19)
ABE4813			4,8 x 13	TCCA05030		Polyamide 6.6 Hammerfix plug. Preassembled saw-tooth screw. Countersunk plug	5 x 30 Ø5	D93306030			M6 x 30	ALHC20070			20x70 (5 x 48 x 14)
ABE4816			4,8 x 16	TCCA06040			6 x 40 Ø6	D93306040			M6 x 40	ALHC20080			20x80 (5 x 54 x 18)
ABE4819			4,8 x 19	TCCA06060			6 x 60 Ø6	D93306050			M6 x 50	ALHC21090			21x90 (5,6 x 61 x 14)
ABE4825			4,8 x 25	TCCA08060			8 x 60 Ø8	D93308016		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M8 x 16	ALHC21100			21x100 (5,6 x 66 x 19)
ABE4832			4,8 x 32	TN4505			5 x 25 Ø5	D93308020			M8 x 20	ALHC22110			22x10 (6 x 73 x 24)
ABE4838			4,8 x 38	TN4506		4-way expansion plug for all materials. Plug	6 x 30 Ø6	D93308025			M8 x 25	ALHC22120			22x120 (6 x 81 x 29)
ABE5519		Self-drilling screw with hexagonal head. Screw	5,5 x 19	TN4508			8 x 40 Ø8	D93308030			M8 x 30	ALHC23130			23x130 (6,3 x 89 x 35)
ABE5522			5,5 x 22	TN4510			10 x 50 Ø10	D93308040			M8 x 40	ALHCB17040			17x40 (3,5 x 28 x 10)
ABE5525			5,5 x 25	TN4512			12 x 60 Ø12	D93308050			M8 x 50	ALP45060			4,5 x 60 x 20
ABE5532			5,5 x 32	TNUXA10080		Universal high performance nylon plug. Countersunk head. TX recess. Zinc-plated. ETA	10 x 80 Ø10	D93308060			M8 x 60	ALP45080			4,5 x 80 x 20
ABE5538			5,5 x 38	TNUXE10080		Tamperproof screw with TX recess. Zinc-plated	10 x 80 Ø10	D93308080			M8 x 80	ALP45100			4,5 x 100 x 20
ABE5550			5,5 x 50	INVZ7070			7 x 70	D93310025			M10 x 25	ALRE25020			2,5 x 20 x 12
ABE6319			6,3 x 19	TB06040			6 x 40	D93310030			M10 x 30	ALRE25030			2,5 x 30 x 12
ABE6325			6,3 x 25	TB06050		Coach wood screw with hexagonal head. Zinc-plated	8 x 50	D93310040			M10 x 40	ALRE35040			3,5 x 40 x 14
ABE6332			6,3 x 32	TB06060			8 x 60	D93310050			M10 x 50	ALRE40060			4 x 60 x 16
ABE6338			6,3 x 38	TB08050			8 x 80	D93312040			M12 x 40	ALRO16030			16x30 (3,1 x 20 x 10)
ABE6350			6,3 x 50	TB08060			8 x 100	D93405			M5	ALRO17040			17x40 (3,5 x 29 x 13)
ABP3509			3,5 x 9,5	TB08080			10 x 80	D93406		Hexagonal nut. Zinc-plated	M6	ALRO18040			18x50 (3,7 x 28 x 14)
ABP3513			3,5 x 13	TB08100			3,5 x 16	D93408			M8	ALRO18050			18x50 (3,7 x 37 x 15)
ABP3516			3,5 x 16	TB110080			3,5 x 20	D93410			M10	ALRO19050			19x50 (4,4 x 37 x 15)
ABP3525			3,5 x 25	TPPO35016			3,5 x 25	D298506			M6	ALRO19060			19x60 (4,4 x 46 x 17)
ABP4216			4,2 x 16	TPPO35020			3,5 x 30	DZ98510		Hexagonal nut. Zinc-plated	M8	ALRO20060			19x70 (4,4 x 55 x 18)
ABP4219		Countersunk head self-drilling screw. Zinc-plated. PH recess	4,2 x 19	TPPO35025			3,5 x 35	T0840510Z			M10	ALRO20070			20x50 (5 x 44 x 20)
ABP4225			4,2 x 25	TPPO35030			3,5 x 40	T0840520Z		Cylindrical head screw. Slotted recess. 4.8. Screw with cylindrical head, slotted recess, 4.8. Zinc-plated	M5 x 10	ALRO20080			20x70 (5 x 53 x 20)
ABP4232			4,2 x 32	TPPO35035			3,5 x 50	T0840616Z			M5 x 20	ALRO21080			20x80 (5 x 63 x 21)
ABP4825			4,8 x 25	TPPO35040			4 x 16	T0840620Z			M6 x 16	ALRO21090			21x90 (5,6 x 70 x 22)
ABP4832			4,8 x 32	TPPO35050			4 x 20	T9650516Z			M5 x 20	ALRO21200			22x100 (6 x 79 x 23)
ABP4838			4,8 x 38	TPPO40016			4 x 40	T9650530Z			M5 x 30	ALROB17040			23x100 (3,5 x 29 x 13)
ARANE14			P14	TPPO40020			4 x 5								

## STANDARD OPTIONS

### VARIED FIXATION implementation | 2 metres


#### 2 WALL UNIT

##### MEASUREMENTS:

**Width** 200 cm

**Depth:** 50 cm

**Height:** 240 cm



## STANDARD IMPLEMENTATIONS BY SECTOR

CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE
ANFA2312		Scaffolding anchoring. Eye diameter 23 mm	12 x 120 Ø14-Ø16	PUPHC02		Bits. PH	PH2
ANFA2316			12 x 160 Ø14-Ø16	PUPHL02			PH2
BAESM06		Gravity toggle for fixing lightweight in ceilings. Projecting bolt	M6 Ø16	PUPOC02		Bits, PZ	PZ2
VBAESM04			M4 Ø14	PUPOL02			PZ2
VBAESM05			M5 Ø14	PUSC750		Polyurethane foams. Multipurpose polyurethane foam for ECOFLEX nozzle application	750 ml.
BAGAM04			M4 Ø14	PUSP750		Polyurethane foams. Polyurethane foam for gun application. Grey colour.	750 ml.
BAGAM05			M5 Ø14	PUTP750			750 ml.
BAGAM06			M6 Ø16	RENO3210			3,2 x 10
BOCA008		Magnetic hexagonal nut setter	8 mm.	RENO4010			4 x 10
CABA004			M4 Ø14	RENO4012			4 x 12
CABA006			M6 Ø16	RENO4016			4 x 16
ACHA08C			M6 x 45 Ø8	RENO4816		Rivets. Panhead. Aluminium	4,8 x 16
ACHA10C			M8 x 60 Ø10	SEACRB280		Acrylic sealant for joints & cracks	280 ml. (Blanco)
VACHA08C		Anti-spin sleeve anchor, for medium loads. Eye bolt	M6 x 45 Ø8	SIPRB280		Professional neutral silicone for smooth and porous materials.	280 ml. (Blanco)
VACHA10C			M8 x 60 Ø10	SIUNIT280		Multipurpose universal acetic silicone	280 ml. (Blanco)
ACHG10C			M8 x 60 Ø10	SIUNIT280*		Multipurpose universal acetic ("SANITAR") silicone with fungicidal properties	280 ml. (Transparente)
ACHT08C			M6 x 45 Ø8	TALAM04		Brass expansion anchor for light fastenings in solid materials. Brass expansion anchor for light fixings in solid materials	M4 x 16 Ø5
ACHT08L			M6 x 60 Ø8	TALAM06			M6 x 23 Ø8
ACHT10C			M8 x 60 Ø10	TALAM08			M8 x 28 Ø10
ACHT10L			M8 x 80 Ø10	TALAM10			M10 x 33 Ø12
ACHT12C			M10 x 70 Ø12	TAPLAME		Zamak plug with DIN 7981 4,2 x 32	13 x 32
ACHT12L			M10 x 100 Ø12	TAPLANY		Plugs for plasterboard. Nylon plug	15 x 33
VACHT08C		Anti-spin sleeve anchor, for medium loads. Hexagonal head screw 6.8. Opt.7 ETA Assessed	M6 x 45 Ø8	TCCA06035			6 x 35 Ø6
VACHT08L			M6 x 60 Ø8	TCCA06040			6 x 40 Ø6
VACHT10C			M8 x 60 Ø10	TCCA06060			6 x 60 Ø6
VACHT10L			M8 x 80 Ø10	TCCA08060			8 x 60 Ø8
VACHT12C			M10 x 70 Ø12	TCCA08080			8 x 80 Ø8
VACHT12L			M10 x 100 Ø12	VTCCA05030		Polyamide 6.6 Hammerfix plug. Preassembled saw-tooth screw. Countersunk plug	5 x 30 Ø5
CIPE1708		Fixing band. Round fixing band ATLANTIS C2-M	17 x 0,8 x 10 m	VTCCA05050			5 x 50 Ø5
VDI2506		Plain washer. Zinc-plated	M6	VTCCA06040			6 x 40 Ø6
VDI2508			M8	VTCCA06060			6 x 60 Ø6
HENOM06		Drop-in anchor with internal thread for heavy loads. Zinc-plated	M6 x 25 Ø8	VTCCA08060			8 x 60 Ø8
HENOM08			M8 x 30 Ø10	VTCCA08080			8 x 80 Ø8
HENOM10			M10 x 40 Ø12	VTCCA08080			8 x 80 Ø8
MAE0630			M6 x 30	TCSO14075		Scaffolding anchoring. Nylon plug, 2 wings	14 x 75 Ø14
MAE0825		Coupling nut. Hexagonal	M8 x 25	TCSO14100			14 x 100 Ø14
MAE1030			M10 x 30	THE06060			Ø6 x 60
MAR0630		Coupling nut. Round	M6 x 30	THE08060		Concrete screw anchor. Hexagon head. ATLANTIS C3-H coating. Opt.1 ETA Assessed	Ø8 x 60
MAR0830			M8 x 30	THE08080			Ø8 x 80
MOPISSI		Guns for chemical fixings	Silicona / Silicone/ 300 ml. Manual / Manuel 410 ml.	THEI0100			Ø10 x 100
MOPISTO			300 ml.	TN4S05			5 x 25 Ø5
MOPS300		Chemical fixings. Polyester PLUS styrene free with Working time indicator. Opt.7 ETA Assessed	300 ml.	TN4S06			6 x 30 Ø6
MOPS410			410 ml.	TN4S08			8 x 40 Ø8
MOV5300		Chemical fixings. Vinylester styrene free. Opt.7 ETA Assessed	300 ml.	TN4S10		4-way expansion plug for all materials. Plug	10 x 50 Ø10
MOV5410			410 ml.	TN4S12			12 x 60 Ø12
MSPRB290		Adhesives Hybrid MS Polymer. MS Professional	290 ml. (Blanco)	VTBTS08			8 x 40 Ø8 & 6 x 60
MSPRG290			290 ml. (Gris)	VTBTS10			10 x 50 Ø10 & 7 x 70
MSSF290		Adhesives Hybrid MS Polymer Superfast High Tack	290 ml. (Blanco)	VTBTS12			12 x 60 Ø12 & 7 x 70
AM08075			M8 x 75 Ø8	VTPPOTS05			5 x 25 Ø5 & 4 x 30
AM08090			M8 x 90 Ø8	VTPPOTS06			6 x 30 Ø6 & 4,5 x 40
AM10090			M10 x 90 Ø10	VTPPOTS08			8 x 40 Ø8 & 5 x 60
AM10120			M10 x 120 Ø10	TN4S06EP			6 x 30 Ø6
AM12110			M12 x 110 Ø12	TN4S08EP			8 x 40 Ø8
AM16145		Through bolt anchor for heavy loads. Zinc-plated shaft. Zinc-plated clip	M16 x 145 Ø16	TN4S10EP			10 x 50 Ø10
VAM08075			M8 x 75 Ø8	TNUXA08080			8 x 80 Ø8
VAM08090			M8 x 90 Ø8	TNUXA08100			8 x 100 Ø8
VAM10090			M10 x 90 Ø10	TNUXA10080			10 x 80 Ø10
VAM10120			M10 x 120 Ø10	TNUXA10100			10 x 100 Ø10
VAM12090			M12 x 90 Ø12	VTNUXA08080			8 x 80 Ø8
VAM12110			M12 x 110 Ø12	VTNUXA08100			8 x 100 Ø8
PACP25050			2,50 x 50	VTNUXA08080			10 x 80 Ø10
PACP29050			2,90 x 50	VTNUXA10100		Universal high performance nylon plug. TX recess. Zinc-plated. ETA Assessed	10 x 100 Ø10
PACP29060			2,90 x 60	TNUXE08080			8 x 80 Ø8
PACP34040		Flat head steel nails	3,40 x 40	TNUXE08100			8 x 100 Ø8
PACP34050			3,40 x 50	TNUXE10080			10 x 80 Ø10
PACP34060			3,40 x 60	TNUXE10100			10 x 100 Ø10
PLEP35025		Drywall screw for plasterboard. Black-phosphated. Bugle head, twinfast thread, S-point. PH recess.	3,5 x 25	VTNUXE08080			8 x 80 Ø8
PLEP35035			3,5 x 35	VTNUXE08100			8 x 100 Ø8
PLRA4835		Drywall screw for plasterboard with bugle head, coarse thread, S-point	4,8 x 35	VTNUXE10080			10 x 80 Ø10
				VTNUXE10100			10 x 100 Ø10

## Installation system implementation | 3 metres


### 3 WALL UNIT

#### MEASUREMENTS:

Width 300 cm


Depth: 50 cm

Height: 240 cm



## Installation system implementation | 3 metres

CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE
TALAM06		Brass expansion anchor for light fastenings in solid materials. Brass expansion anchor for light fixings in solid materials	M6 x 23 Ø8	ABPI032		Conduit clip with single hole. Conduit clip, with single hole	32	SAWHO6070		Sanitary fixings. Horizontal WC fixing kit. 2 PCS x KIT	M6 x 70
TALAM08			M8 x 28 Ø10	ABPI040			40	SAWL05080		Sanitary fixings. WC and bidet fixing kit, brass 2 PCS x KIT	M5 x 80
TALAM10			M10 x 33 Ø12	ABRE022			22 (M8+M10)	SAWZ05080		Sanitary fixings. WC and bidet fixing kit, zinc-plated. 2 PCS x KIT	M5 x 80
AB6I012			12 (M6)	ABRE028			28 (M8+M10)	SPX412130		Indextrel Supports for heavy loads. Indextrel Perforated support	41 x 21 x 2,5 x 300
AB6I015			15 (M6)	ABRE035			35 (M8+M10)	SPZ271820		Type "C" supports for light loads. Zinc-plated perforated support	27 x 18 x 1,25 x 300
AB6I018			18 (M6)	ABRE040			40 (M8+M10)	SPZ384030			27 x 18 x 1,25 x 300
AB6I022			22 (M6)	ABRE048			48 (M8+M10)	SPZ384040			38 x 40 x 2 x 300
AB6I028			28 (M6)	ABRE060			60 (M8+M10)	SUMOM08		Quick beam attachment system. Beam clamp	38 x 40 x 2 x 400
AB6I032			32 (M6)	ABRE075			75 (M8+M10)	SUMOM10		Quick beam attachment system. Rod clip	ROSCADO M8
ABBU1618			16 - 18	ABRE090			90 (M8+M10)	SUVA0604		Spiral anchor. Hook for PVC channel	ROSCADO M10
ABCRO10			10 (M6)	ABRE110			110 (M8+M10)	TEGA25		Spiral anchor. Big tile plate	25
ABCRO12			12 (M6)	ABRE125			125 (M8+M10)	TEGA33		Spiral anchor. Tile plate	25
ABD6015			15 (M6)	ABRI022			22 (M8+M10)	VRSE06020		Spiral anchor. Tile plate	25
ABD6018			18 (M6)	ABRI028			28 (M8+M10)	VRSE06030		Small threaded bolt	M6 x 20
ABD6022			22 (M6)	ABRI035			35 (M8+M10)	VRSE08020			M6 x 30
ABGS012			12 (M6)	ABRI040			40 (M8+M10)	VRSE08030			M8 x 20
ABGS015			15 (M6)	ABRI048			48 (M8+M10)	TPPO35030		Countersunk head chipboard screw. Yellow zinc-plated. PZ recess	M8 x 30
ABGS018			18 (M6)	ABRI060			60 (M8+M10)	TPPO40040			3,5 x 30
ABGS022			22 (M6)	ABRI075			75 (M8+M10)	TPPO50050			4 x 40
ABGS028			28 (M6)	ABRI090			90 (M8+M10)	TPPO60060			5 x 50
ABGS035			35 (M6)	ABRI110			110 (M8+M10)				6 x 60
ABGS042			42 (M6)	ABRI125			125 (M8+M10)				
ABGUG15			15	ABTA0840			M8 x 40				
ABGUG18			18	ABTA0860			M8 x 60				
ABGUG20			20	ABTA1050			M10 x 50				
ABGUG22			22	ABTAB0630			M6 x 30				
ABGUG25			25	ABTAB0640			M6 x 40				
ABGUG28			28	ABTS016			16				
ABGUC32			32	ABTS020			20				
ABGUC40			40	ABTS025			25				
ABID014			14-15	ASF008016			8-16				
ABID016			16-18	ASF012022			12-22				
ABID020			20-22	ASF016027			16-27				
ABIN012			12	ASF020032			20-32				
ABIN014			14-15	ASF025040			25-40				
ABIN016			16-18	ASF035050			35-50				
ABIN020			20-22	ASF040060			40-60				
ABIN028			28	BB25100			2,5 x 100				
ABIN035			35	BB36200			3,6 x 200				
ABM6012			12 (M6)	BB36300			3,6 x 300				
ABM6015			15 (M6)	BB48200			4,8 x 200				
ABM6018			18 (M6)	BB48290			4,8 x 290				
ABM6020			20 (M6)	BB48370			4,8 x 370				
ABM6022			22 (M6)	BB76370			7,6 x 370				
ABM6025			25 (M6)	BN25100			2,5 x 100				
ABM6028			28 (M6)	BN36200			3,6 x 200				
ABM6032			32 (M6)	BN36300			3,6 x 300				
ABM6040			40 (M6)	BN48200			4,8 x 200				
ABM6050			50 (M6)	BN48290			4,8 x 290				
ABM8075			75 (M8)	BN48370			4,8 x 370				
ABM8090			90 (M8)	BN76370			7,6 x 370				
ABM8110			110 (M8)	CIPE1708			17 x 0,8 x 10 m				
ABM8125			125 (M8)	ESDR08060			M8 x 60				
ABM8160			160 (M8)	ESDR08080			M8 x 80				
ABM8200			200 (M8)	ESDR08100			M8 x 100				
ABM8250			250 (M8)	ESDR08120			M8 x 120				
ABMUG15			15-16	ESDR10080			M10 x 80				
ABMUC18			18-20	ESDR10100			M10 x 100				
ABMUC22			22-25	ESDR10120			M10 x 120				
ABMUG32			32-35	MAR0620			M6 x 20				
ABMUG40			40-42	MAR0630			M6 x 30				
ABPI008			8	MAR0830			M8 x 30				
ABPI010			10	MARI030			M10 x 30				
ABPI012			12	RATRC095			95				
ABPI016			16	SALH08100			M8 x 100				
ABPI018			18	SALH01020			M10 x 120				
ABPI020			20	SALN10120			M10 x 120				
ABPI025			25								



## STANDARD OPTIONS

### Implantation of nylon cable ties | 1 metre

#### 1 WALL UNIT

##### MEASUREMENTS:

**Width**: 100 cm

**Depth**: 50 cm

**Height**: 240 cm



## STANDARD IMPLEMENTATIONS BY SECTOR



CODE	PICTURE	DESCRIPTION	SIZE
BB25100		Nylon cable tie. White	2,5 x 100
BB25140			2,5 x 140
BB25160			2,5 x 160
BB25200			2,5 x 200
BB36140			3,6 x 140
BB36200			3,6 x 200
BB36300			3,6 x 300
BB36370			3,6 x 370
BB48180			4,8 x 180
BB48200			4,8 x 200
BB48250			4,8 x 250
BB48290			4,8 x 290
BB48370			4,8 x 370
BB48430			4,8 x 430
BB76290			7,6 x 290
BB76370			7,6 x 370
BB76540			7,6 x 540
BC48290MA		Nylon cable tie. Colours. Brown	4,8 x 290
BC48290VE		Nylon cable tie. Colours. Green	4,8 x 290
BN25100			2,5 x 100
BN25140			2,5 x 140
BN25160			2,5 x 160
BN25200			2,5 x 200
BN36140			3,6 x 140
BN36200			3,6 x 200
BN36300			3,6 x 300
BN36370			3,6 x 370
BN48180			4,8 x 180
BN48200			4,8 x 200
BN48250			4,8 x 250
BN48290			4,8 x 290
BN48370			4,8 x 370
BN48430			4,8 x 430
BN76200			7,6 x 200
BN76290			7,6 x 290
BN76370			7,6 x 370
BN76450			7,6 x 450
BN76540			7,6 x 540
TACOBRIBL8		Cable tie plug. White	Blanco / White / Blanc Ø8
TACOBRINE6		Cable tie plug. Black	Negro / Black / Noir Ø6
TACOBRINE8		Cable tie plug. Black	Negro / Black / Noir Ø8

## Wood nuts and bolts implementation | 1 metre


## 1 WALL UNIT

## MEASUREMENTS:

Width 100 cm

Depth: 50 cm

Height: 240 cm



CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE
VTEXBP30030		High-performance chipboard screw. Yellow zinc-plated. Tx recess	3 x 30	TEXBT60180		High-performance chipboard screw. Yellow zinc-plated. Tx recess	6 x 180
VTEXBP35016			3,5 x 16	TEXBT80160			8 x 160
VTEXBP35020			3,5 x 20	TEXBT80200			8 x 200
VTEXBP35025			3,5 x 25	TEXZP35016			3,5 x 16
VTEXBP35030			3,5 x 30	TEXZP35025			3,5 x 25
VTEXBP35040			3,5 x 40	TEXZP35030			3,5 x 30
VTEXBP35050			3,5 x 50	TEXZP35050			3,5 x 50
VTEXBP40025			4 x 25	TEXZP50050			5 x 50
VTEXBP40030			4 x 30	TEXZT50060			5 x 60
VTEXBP40035			4 x 35	TEXZT50070			5 x 70
VTEXBP40040			4 x 40	TEXZT50100			5 x 100
VTEXBP40045			4 x 45	TEXZT60080			6 x 80
VTEXBP40050			4 x 50	TEXZT60100			6 x 100
VTEXBP40060			4 x 60	TEXZT60120			6 x 120
VTEXBP45030			4,5 x 30	TEXZT60140			6 x 140
VTEXBP45035			4,5 x 35				
VTEXBP45040			4,5 x 40				
VTEXBP45050			4,5 x 50				
VTEXBP45060			4,5 x 60				
VTEXBP45070			4,5 x 70				
VTEXBP50040			5 x 40				
VTEXBP50050			5 x 50				
VTEXBP50060			5 x 60				
VTEXBP50070			5 x 70				
VTEXBP50080			5 x 80				
VTEXBP50090			5 x 90				
VTEXBP60050			6 x 50				
VTEXBP60060			6 x 60				
VTEXBP60070			6 x 70				
VTEXBP60080			6 x 80				
TEXA250050		High-performance chipboard screw. A2 Stainless steel. Tx recess	5 x 50				
TEXA250060			5 x 60				
TEXBP35016			3,5 x 16				
TEXBP35020			3,5 x 20				
TEXBP35030			3,5 x 30				
TEXBP35040			3,5 x 40				
TEXBP35050			3,5 x 50				
TEXBP40016			4 x 16				
TEXBP40020			4 x 20				
TEXBP40030			4 x 30				
TEXBP40040			4 x 40				
TEXBP40050			4 x 50				
TEXBP40060			4 x 60				
TEXBP45030			4,5 x 30				
TEXBP45040			4,5 x 40				
TEXBP45050			4,5 x 50				
TEXBP45060			4,5 x 60				
TEXBP45070			4,5 x 70				
TEXBP50040			5 x 40				
TEXBP50050			5 x 50				
TEXBP50060			5 x 60				
TEXBP50070			5 x 70				
TEXBP50080			5 x 80				
TEXBP60060			6 x 60				
TEXBP60080			6 x 80				
TEXBP60090			6 x 90				
TEXBP60100			6 x 100				
TEXBT45070			4,5 x 70				
TEXBT50050			5 x 50				
TEXBT50070			5 x 70				
TEXBT60100		Tirafondo de alto rendimiento. Bicromatado. Huella TX	6 x 100				
TEXBT60120			6 x 120				
TEXBT60160			6 x 160				



## Drill and threaded plate nuts and bolts implementation | 1 metre


## 1 WALL UNIT

## MEASUREMENTS:

Width 100 cm

Depth: 50 cm

Height: 240 cm



CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE
VABE144819		Self-drilling screw with hexagonal head. Screw con arandela vulcanizada de acero-EPDM	4,8 x 19 P14	VABR4819		Panhead self-drilling screw. Zinc-plated. PH recess	4,8 x 19
VABE144825			4,8 x 25 P14	VABR4822			4,8 x 22
VABE164819			4,8 x 19 P16	VABR4825			4,8 x 25
VABE165522			5,5 x 22 P14	VABR4832			4,8 x 32
VABE165525			5,5 x 25 P16	VABR4838			4,8 x 38
VABE165532			5,5 x 32 P14	VABR4845			4,8 x 45
VABE165538			5,5 x 38 P16	VABR4850			4,8 x 50
VABE165550			5,5 x 50 P16	VABR4860			4,8 x 60
VABE166325			6,3 x 25 P16	VABR5532			4,8 x 80
VABE166332			6,3 x 32 P16	VARANE14		Vulcanized EPDM-steel washer. ATLANTIS C2-M coating	5,5 x 32
VABE166338			6,3 x 38 P16	VARANE16			P14
VABE4216			4,2 x 16	VARANE16			P16
VABE4219			4,2 x 19	VARANE18			P18
VABE4225			4,2 x 25	VARANE25		Rivets. Wide head. Aluminium	P25
VABE4813			4,8 x 13	VRECA4010			4 x 10
VABE4816			4,8 x 16	VRECA4012			4 x 12
VABE4819			4,8 x 19	VRECA4016			4 x 16
VABE4825			4,8 x 25	VRECA4810			4,8 x 10
VABE4832			4,8 x 32	VRECA4812			4,8 x 12
VABE4838			4,8 x 38	VRECA4814			4,8 x 14
VABE5519			5,5 x 19	VRECA4816			4,8 x 16
VABE5522			5,5 x 22	VRECA4818			4,8 x 18
VABE5525			5,5 x 25	VREFL4835			4,8 x 35
VABE5532			5,5 x 32	VRENO3210			3,2 x 10
VABE5538			5,5 x 38	VRENO3212			3,2 x 12
VABE5550			5,5 x 50	VRENO4008			4 x 8
VABE5563			5,5 x 63	VRENO4010			4 x 10
VABE6325			6,3 x 25	VRENO4012			4 x 12
VABE6332			6,3 x 32	VRENO4016			4 x 16
VABE6338			6,3 x 38	VRENO4020			4 x 20
VABE6350			6,3 x 50	VRENO4810			4,8 x 10
VABP3513			3,5 x 13	VRENO4812			4,8 x 12
VABP3516			3,5 x 16	VRENO4814			4,8 x 14
VABP3519			3,5 x 19	VRENO4816			4,8 x 16
VABP3525			3,5 x 25	VRENO4820			4,8 x 20
VABP3916			3,9 x 16	VRENO4824			4,8 x 24
VABP3919			3,9 x 19	VRENO4830			4,8 x 30
VABP3925			3,9 x 25	VT8135009			3,5 x 9,5
VABP3938			3,9 x 38	VT8135013			3,5 x 13
VABP4216			4,2 x 16	VT8135016			3,5 x 16
VABP4219			4,2 x 19	VT8139013			2,9 x 13
VABP4225			4,2 x 25	VT8139025			2,9 x 25
VABP4232			4,2 x 32	VT8142013			4,2 x 13
VABP4238			4,2 x 38	VT8142019			4,2 x 19
VABP4819			4,8 x 19	VT8142025			4,2 x 25
VABP4825			4,8 x 25	VT8142032			4,2 x 32
VABP4832			4,8 x 32	VT8142038			4,2 x 38
VABP4838			4,8 x 38	VT8148016			4,8 x 16
VABP5532			5,5 x 32	VT8148019			4,8 x 19
VABR3509			3,5 x 9,5	VT8148025			4,8 x 25
VABR3511			3,5 x 11	VT8148032			4,8 x 32
VABR3513			3,5 x 13	VT8148038			4,8 x 38
VABR3516			3,5 x 16	VT8148050			4,8 x 50
VABR3519			3,5 x 19	VT8148060			4,8 x 60
VABR3913			3,9 x 13	VT8155019			3,5 x 19
VABR3919			3,9 x 19	VT8155025			3,5 x 25
VABR3925			3,9 x 25	VT8155032			3,5 x 32
VABR4213			4,2 x 13	VT8155038			5,5 x 38
VABR4216			4,2 x 16	VT8235013			3,5 x 13
VABR4219			4,2 x 19	VT8235016			3,5 x 16
VABR4222			4,2 x 22	VT8235025			3,5 x 25
VABR4225			4,2 x 25	VT8242016			4,2 x 16
VABR4232			4,2 x 32	VT8242019			4,2 x 19
VABR4238			4,2 x 38	VT8242025			4,2 x 25
VABR4250			4,2 x 50	VT8242032			4,2 x 32
VABR4813			4,8 x 13	VT8248025			4,8 x 25
VABR4816			4,8 x 16	VT8248032			4,8 x 32
				VT8248038			4,8 x 38

## Standard nuts and bolts implementation | 1 metre


## 1 WALL UNIT

## MEASUREMENTS:

Width 100 cm

Depth: 50 cm

Height: 240 cm



CODE	PICTURE	DESCRIPTION	SIZE	CODE	PICTURE	DESCRIPTION	SIZE
VD12504		Plain washer. Zinc-plated	M4	VD93306060		Hexagonal head bolt 8.8. Full thread. Zinc-plated	M6 x 60
VD12505			M5	VD93308016			M8 x 16
VD12506			M6	VD93308020			M8 x 20
VD12508			M8	VD93308030			M8 x 30
VD12510			M10	VD93308040			M8 x 40
VD12512			M12	VD93308050			M8 x 50
VD12706		Arandela muelle Grower	M6	VD93308060			M8 x 60
VD12708			M8	VD93308080			M8 x 80
VD12710			M10	VD93308100			M8 x 100
VD158706		Cup nut.	M6	VD93310020			M10 x 20
VD603905020			M5 x 20	VD93310030			M10 x 30
VD603905030			M5 x 30	VD93310040			M10 x 40
VD603905050			M5 x 50	VD93310050			M10 x 50
VD603906020			M6 x 20	VD93310070			M10 x 70
VD603906030			M6 x 30	VD93310080			M10 x 80
VD603906040			M6 x 40	VD93312030			M12 x 30
VD603906050			M6 x 50	VD93312040			M12 x 40
VD603906060		Round head screw with square neck and hexagonal nut. Bolt with panhead; square neck and hexagonal nut. Zinc plated	M6 x 60	VD93312050			M12 x 50
VD603906070			M6 x 70	VD933106016			M6 x 16
VD603906080			M6 x 80	VD933106040			M6 x 40
VD603908030			M8 x 30	VD933108020			M8 x 20
VD603908040			M8 x 40	VD93404			M4
VD603908050			M8 x 50	VD93405			M5
VD603908060			M8 x 60	VD93406			M6
VD603908070			M8 x 70	VD93408			M8
VD603908080			M8 x 80	VD93410			M10
VD603908090			M8 x 90	VD93412			M12
VD902104			M4	VDZ98504			M4
VD902105			M5	VDZ98505			M5
VD902106			M6	VDZ98506			M6
VD902108			M8	VDZ98508			M8
VD902110			M10	VDZ98510			M10
VD902112			M12	VDZ98512			M12
VD91205010			M5 x 10	VT9650310Z			M3 x 10
VD91205012			M5 x 12	VT9650408Z			M4 x 8
VD91205016			M5 x 16	VT9650410Z			M4 x 10
VD91205020			M5 x 20	VT9650416Z			M4 x 16
VD91205030			M5 x 30	VT9650420Z			M4 x 20
VD91206012			M6 x 12	VT9650430Z			M4 x 30
VD91206016			M6 x 16	VT9650516Z			M5 x 16
VD91206020			M6 x 20	VT9650520Z			M5 x 20
VD91206025			M6 x 25	VT9650530Z			M5 x 30
VD91206030			M6 x 30	VT9650540Z			M5 x 40
VD91206040			M6 x 40	VT9650620Z			M6 x 20
VD91208020			M8 x 20	VT9650630Z			M6 x 30
VD91208030			M8 x 30	VT9850310Z			M3 x 10
VD91208040			M8 x 40	VT9850316Z			M3 x 16
VD93106030			M6 x 30	VT9850320Z			M3 x 20
VD93106040			M6 x 40	VT9850330Z			M3 x 30
VD93106050			M6 x 50	VT9850406Z			M4 x 6
VD93108050			M8 x 50	VT9850408Z			M4 x 8
VD93108080			M8 x 80	VT9850410Z			M4 x 10
VD93110040			M10 x 40	VT9850416Z			M4 x 16
VD93304010			M4 x 10	VT9850420Z			M4 x 20
VD93304016			M4 x 16	VT9850510Z			M5 x 10
VD93304020			M4 x 20	VT9850516Z			M5 x 16
VD93304030			M4 x 30	VT9850520Z			M5 x 20
VD93305010			M5 x 10	VT9850530Z			M5 x 30
VD93305020			M5 x 20	VT9850610Z			M6 x 10
VD93305030			M5 x 30	VT9850616Z			M6 x 16
VD93305040			M5 x 40	VT9850620Z			M6 x 20
VD93305050			M5 x 50	VT9850630Z			M6 x 30
VD93306016			M6 x 16	VT9850640Z			M6 x 40
VD93306020			M6 x 20	VT9850660Z			M6 x 60
VD93306025			M6 x 25	VTUMAM06			M6
VD93306030			M6 x 30	VTUMAM08			M8
VD93306040			M6 x 40	VTUMAM10			M10
VD93306050			M6 x 50				

## Wood connector implementation | 1 metre


### 1 WALL UNIT

#### MEASUREMENTS:

**Width**: 100 cm

**Depth**: 50 cm

**Height**: 240 cm



CODE	PICTURE	DESCRIPTION	SIZE
APAR070		Post anchors for wood connectors. Height-adjustable	70 x 70 x 100 x 100
APS871		Post anchors for wood connectors. Screw in sleeve	71 x 71 x 150
APS891		Post anchors for wood connectors. Screw in sleeve	91 x 91 x 150
PTBRI0035		Supports for wood connectors. Flat tie	95 x 35
PTBRI3355		Supports for wood connectors. Flat tie	135 x 55
PTEMI8040		Supports for wood connectors. Yellow zinc-plated to be embedded	180 x 40
PTETI69845		Supports for wood connectors. T-shaped	160 x 98 x 45
PTOB05015			50 x 15
PTOB06015		Supports for wood connectors. Yellow zinc-plated with beveled holes on both sides	60 x 15
PTOB08015		Supports for wood connectors. Yellow zinc-plated with beveled holes on both sides	80 x 15
PTOB10015			100 x 15
PTOB12020			120 x 20
PTTT030716		Supports for wood connectors. T-shaped	70 x 35 x 16
PTUNI12038		Supports for wood connectors. Universal assembly	120 x 40
PTUNI16038		Supports for wood connectors. Universal assembly	160 x 40
PTUN20060			200 x 60
SCAS3317DR		Angled brackets for wood connectors. Asymmetric, right or left side	32 x 100 x 170
SCAS3317IZ		Angled brackets for wood connectors. Asymmetric, right or left side	32 x 100 x 170
SCCI303030		Angled brackets for wood connectors. Yellow zinc-plated, large and equal-sided	30 x 30 x 30
SCCI404040			40 x 40 x 40
SCED050503		Angled brackets for wood connectors. For assembly, perforated with unequal holes	50 x 50 x 35
SCED060604			60 x 60 x 45
SCED070705		Angled brackets for wood connectors. For assembly, perforated with unequal holes	70 x 70 x 55
SCED090906			90 x 90 x 65
SCEI040402			40 x 40 x 20
SCEI040404			40 x 40 x 40
SCEI040406		Angled brackets for wood connectors. For assembly, perforated with equal holes	40 x 40 x 60
SCEI050504			50 x 50 x 40
SCEI060604			60 x 60 x 40
SCEI060606			60 x 60 x 60
SCEI070704			75 x 75 x 40
SCOB020214		Angled brackets for wood connectors. Yellow zinc-plated for chairs with beveled holes on both sides	25 x 25 x 15
SCOB030314			30 x 30 x 15
SCOB040415			40 x 40 x 15
SCPD107530		Angled brackets for wood connectors. Yellow zinc-plated for posts, unequal-sided	75 x 100 x 30
SCRF070705		Angled brackets for wood connectors. Reinforced	70 x 70 x 55
SCRF101009			100 x 100 x 90
SCRG090505			50 x 90 x 50
SCRG090508			50 x 90 x 80
SOUU0410			40 x 110 x 80
SOUU06100			60 x 100 x 80
SOUU07125			70 x 125 x 80
SOUU08120			80 x 120 x 80
SOUR30140DR			26 x 140 x 76
SOUR30140IZ		Perforated supports. Variable width with sealing orifice	26 x 140 x 76
VMPF050		Assorted wood connectors ATLANTIS C3-M. Hot dip galvanized anchor nails	4 x 50



## REAL INSTALLATIONS

**INDEX®**  
A PERFECT FIXING



**INDEX®**  
A PERFECT FIXING



## REAL INSTALLATIONS

## REAL INSTALLATIONS

INDEX®  
A PERFECT FIXING



INDEX®  
A PERFECT FIXING



## REAL INSTALLATIONS

NOTES

NOTES

A  
PERFECT  
FIXING

**FOLLPDVEN23**



**Técnicas Expansivas S.L.**  
P. I. La Portalada II, C/ Segador, 13  
26006 · Logroño (La Rioja) · SPAIN

T. (+34) 941.272.131 · E. [info@indexfix.com](mailto:info@indexfix.com)  
[www.indexfix.com](http://www.indexfix.com)